

TEST REPORT (Ambient Air)

TEST REPORT (Ambient Air)					
Report No.		NLES/25-26/12/AA/RE/984		Report Issue Date	25/12/2025
Name and Address of Customer		M/S. BONY POLYMERS PRIVATE LIMITED PAP 72/3, MIDC Kesurdi Phase-1, Satara (MH), Pin - 412802.			
Discipline		Chemical	Date & Time of Sampling		From 11:10 AM of 20/12/2025 to 11:10 AM of 21/12/2025(24hrs)
Group		Atmospheric Pollution	Date of receipt of sample in lab		21/12/2025
Sub Group		Ambient Air	Sampling Procedure		IS 5182 Part 5
Sampling Location		Near Main Gate	Dry bulb temperature		28 ⁰ C
Wet bulb temperature		19.3 ⁰ C	Relative Humidity		43 %
Sampling done by		DIVYA ENVIROCARE MANAGEMENT			
Start Date of Analysis		21/12/2025	End Date of Analysis		25/12/2025
Results					
Sr. No.	Parameters	Results	Unit(s)	Specifications (NAAQ Standards)	Methods
1	Sulphur Dioxide (SO ₂)	15.6	µg/m ³	≤ 80	IS 5182 (Part 2)
2	Oxides of Nitrogen (NO ₂)	20.1	µg/m ³	≤ 80	IS 5182 (Part 6)
3	Particulate Matter PM ₁₀	60.3	µg/m ³	≤ 100	IS 5182 (Part 4), 1999
4	Particulate Matter PM _{2.5}	35.4	µg/m ³	≤ 60	IS 5182 (Part 24), 2019
5	Ozone (O ₃)	10.2	µg/m ³	≤ 180	Method 411, Air Sampling and Analysis, 3rd Edition, 2020
6	Ammonia (NH ₃)	10.0	µg/m ³	≤ 400	Method 401, Air Sampling and Analysis 3rd Edition, 2020
7	Lead (Pb)	BDL	µg/m ³	≤ 01	Air Sampling and Analysis, 3rd Edition, 2020
8	Arsenic (As)	BDL	ng/m ³	≤ 06	
9	Nickel (Ni)	BDL	ng/m ³	≤ 20	
10	Carbon Monoxide (CO)	0.32	mg/m ³	≤ 04	GC FID Methanizer Method
11	Benzo(a)Pyrene (BaP)	BDL	ng/m ³	≤ 1.0	IS 5182 Part 12
12	Benzene(C ₆ H ₆)	BDL	µg/m ³	≤ 05	IS 5182 Part 11
Remark- All above results are within National Ambient Air Quality standards..BDL-Below Detection Limit					

Terms and Conditions

- This Report is valid for tested sample only
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, NLES.

Kalyani
Reviewed By
(Ms. Kalyani Gore)



Abhishek
Authorized Signatory
(Mr. Abhishek Tope)

*****End of Report*****

Neetal Laboratories And Environmental Services Pvt. Ltd.

Address : H.NO. 43, SANTOSH NAGAR, WAKI BK., TAL. KHED, DIST. PUNE - 410 501
Website : www.neetalenvirolab.com, Mob. 8669699854 / 52
Email: sales@neetalenvirolab.com / neetalenviro@gmail.com

Certifications :
ISO 9001 : 2015
ISO 14001 : 2015
ISO 45001 : 2018

TEST REPORT (Ambient Air)

TEST REPORT (Ambient Air)					
Report No.		NLES/25-26/12/AA/RE/985		Report Issue Date	25/12/2025
Name and Address of Customer		M/S. BONY POLYMERS PRIVATE LIMITED PAP 72/3, MIDC Kesurdi Phase-1, Satara (MH), Pin - 412802.			
Discipline		Chemical	Date & Time of Sampling		From 11:00 AM of 20/12/2025 to 11:00 AM of 21/12/2025(24hrs)
Group		Atmospheric Pollution	Date of receipt of sample in lab		21/12/2025
Sub Group		Ambient Air	Sampling Procedure		IS 5182 Part 5
Sampling Location		Near Back Side of Company	Dry bulb temperature		28 ⁰ C
Wet bulb temperature		19.3 ⁰ C	Relative Humidity		43 %
Sampling done by		DIVYA ENVIROCARE MANAGEMENT			
Start Date of Analysis		21/12/2025	End Date of Analysis		25/12/2025
Results					
Sr. No.	Parameters	Results	Unit(s)	Specifications (NAAQ Standards)	Methods
1	Sulphur Dioxide (SO ₂)	12.6	µg/m ³	≤ 80	IS 5182 (Part 2)
2	Oxides of Nitrogen (NO ₂)	18.4	µg/m ³	≤ 80	IS 5182 (Part 6)
3	Particulate Matter PM ₁₀	56.4	µg/m ³	≤ 100	IS 5182 (Part 4), 1999
4	Particulate Matter PM _{2.5}	32.1	µg/m ³	≤ 60	IS 5182 (Part 24), 2019
5	Ozone (O ₃)	9.36	µg/m ³	≤ 180	Method 411, Air Sampling and Analysis, 3rd Edition, 2020
6	Ammonia (NH ₃)	8.25	µg/m ³	≤ 400	Method 401, Air Sampling and Analysis 3rd Edition, 2020
7	Lead (Pb)	BDL	µg/m ³	≤ 01	Air Sampling and Analysis, 3rd Edition, 2020
8	Arsenic (As)	BDL	ng/m ³	≤ 06	
9	Nickel (Ni)	BDL	ng/m ³	≤ 20	
10	Carbon Monoxide (CO)	0.30	mg/m ³	≤ 04	GC FID Methanizer Method
11	Benzo(a)Pyrene (BaP)	BDL	ng/m ³	≤ 1.0	IS 5182 Part 12
12	Benzene(C ₆ H ₆)	BDL	µg/m ³	≤ 05	IS 5182 Part 11
Remark- All above results are within National Ambient Air Quality standards.,BDL-Below Detection Limit					

Terms and Conditions

- This Report is valid for tested sample only
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, NLES.

Reviewed By
(Ms. Kalyani Gore)



Authorized Signatory
(Mr. Abhishek Tope)

*****End of Report*****

Neetal Laboratories And Environmental Services Pvt. Ltd.

Address : H.NO. 43, SANTOSH NAGAR, WAKI BK., TAL. KHED, DIST. PUNE - 410 501

Website : www.neetalenvirolab.com, Mob. 8669699854 / 52

Email: sales@neetalenvirolab.com / neetalenviro@gmail.com

Certifications :

ISO 9001 : 2015

ISO 14001 : 2015

ISO 45001 : 2018

TEST REPORT

TEST REPORT			
Report No.	NLES/25-26/12/NI/RE/986	Report Issue Date	25/12/2025
Name and Address of Customer	M/S. BONY POLYMERS PRIVATE LIMITED PAP 72/3, MIDC Kesurdi Phase-1, Satara (MH), Pin - 412802.		
Discipline	Chemical		
Group	Atmospheric Pollution		
Sub Group	Ambient Noise		
Sample Name	Noise Level Monitoring		
Date of Sampling	20/12/2025		
Method of Sampling	IS 9989, 1981		
Sampling Duration	Spot Noise		
Sampling done by	DIVYA ENVIROCARE MANAGEMENT		
Results			
Sr. No.	Location	Average Noise Level Reading dB(A)	Limits as per CPCB guidelines
		Day Time	
1	Near Main Gate	62.4	Day Time = 75 dB Night Time =70 dB
2	Near Back Side of Company	60.3	
Remark- All above Noise level results are within Central Pollution Control Board Standards limit.			

Terms and Conditions

- This Report is valid for tested sample only
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, NLES.


Reviewed By
(Ms. Kalyani Gore)




Authorized Signatory
(Mr. Abhishek Tope)

*****End of Report*****

Page 1 of 1

Neetal Laboratories And Environmental Services Pvt. Ltd.

Address : H.NO. 43, SANTOSH NAGAR, WAKI BK., TAL. KHED, DIST. PUNE - 410 501
Website : www.neetalenvirolab.com, Mob. 8669699854 / 52
Email: sales@neetalenvirolab.com / neetalenviro@gmail.com

Certifications :
ISO 9001 : 2015
ISO 14001 : 2015
ISO 45001 : 2018

TEST REPORT

Report No:	NLES/25-26/12/NI/RE/987	Issue Date	25/12/2025
Name and Address of Customer	M/S. BONY POLYMERS PRIVATE LIMITED PAP 72/3, MIDC Kesurdi Phase-1, Satara (MH), Pin - 412802.		
Sample Name	Workzone Noise	Date of Sampling	20/12/2025
Sampling done by	DIVYA ENVIROCARE MANAGEMENT		

Results

Sr. No.	Locations	Result dB(A) Day	Specifications (The Factories Act 1948, standards)	Method
1.	Office Area	72.3	≤90	As per Factory Rule 1963, standards)
2.	Shop Floor-A	74.5		
3.	Shop Floor-B	75.3		
4.	Production Area	76.1		

Remark- The Factories Rule 1963, has prescribed 90 dB (A) as an upper limit of noise level for 8 hours exposure.

Terms and Conditions

- This Report is valid for tested sample only
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, NLES.


Reviewed By
(Ms. Kalyani Gore)




Authorized Signatory
(Mr. Abhishek Tope)

*****End of Report*****

Page 1 of 1

Neetal Laboratories And Environmental Services Pvt. Ltd.

Address : H.NO. 43, SANTOSH NAGAR, WAKI BK., TAL. KHED, DIST. PUNE - 410 501

Website : www.neetalenvirolab.com, Mob. 8669699854 / 52

Email: sales@neetalenvirolab.com / neetalenviro@gmail.com

Certifications :

ISO 9001 : 2015

ISO 14001 : 2015

ISO 45001 : 2018

TEST REPORT (Stack Emission)

Report No:	NLES/25-26/12/ST/RE/988	Report Issue Date	25/12/2025			
Name and Address of Customer	M/S. BONY POLYMERS PRIVATE LIMITED PAP 72/3, MIDC Kesurdi Phase-1, Satara (MH), Pin - 412802.					
Discipline	Chemical	Sample Description	Stack Material: MS			
Group	Pollution & Environment.		Stack Height: 10.0 Mtr			
Sub Group	Stack Emission		Stack Type: Round			
			Fuel- Diesel			
Date of Sampling	20/12/2025	Sampling Location	DG Set 380 KVA			
Date of receipt of sample in lab	21/12/2025	Sampling duration	30 Min			
Sampling done by	DIVYA ENVIROCARE MANAGEMENT					
Start Date of Analysis	21/12/2025	End Date of Analysis	25/12/2025			
Stack Information						
1	Flue Gas Temperature	385	°K	Dimensions of Stack	0.127	Mtr.
2	Differential Pressure	3.3	mm WG	Stack Area	0.0127	M ²
3	Velocity	6.95	M/s	Gas Volume	245.37	Nm3/Hr
Results						
Sr. No.	Parameters	Results	Unit(s)	Specifications (MPCB Consent)	Methods	
1	Total Particulate Matter	35.6	mg/Nm3	≤ 150	IS 11255(Part 1)	
2	Sulphur Dioxide (SO2)	15.3	mg/Nm3	N.S.	IS 11255 (Part 2)	
3	Sulphur Dioxide (SO2)	0.090	Kg/day	N.S.	IS 11255 (Part 2)	
4	Oxides Of Nitrogen (NO2)	19.9	mg/Nm3	N.S.	IS 11255 (Part 7)	
➤ Remark- Above results are well within MPCB Limit. NS-Not Specified						

Terms and Conditions

- This Report is valid for tested sample only
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, NLES.

Kalyani
Reviewed By
(Ms. Kalyani Gore)



Abhishek
Authorized Signatory
(Mr. Abhishek Tope)

*****End of Report*****

Page 1 of 1

Neetal Laboratories And Environmental Services Pvt. Ltd.

Address : H.NO. 43, SANTOSH NAGAR, WAKI BK., TAL. KHED, DIST. PUNE - 410 501

Website : www.neetalenvirolab.com, Mob. 8669699854 / 52

Email: sales@neetalenvirolab.com / neetalenviro@gmail.com

Certifications :

ISO 9001 : 2015

ISO 14001 : 2015

ISO 45001 : 2018

TEST REPORT

Report No.	NLES/25-26/12/DW/RE/989	Report Issue Date	25/12/2025
Name and Address of Customer	M/S. BONY POLYMERS PRIVATE LIMITED PAP 72/3, MIDC Kesurdi Phase-1, Satara (MH), Pin - 412802.		
Discipline	Chemical	Date of Sample Collection	18/12/2025
Group	Water	Date of receipt of sample in lab	19/12/2025
Sub Group	Drinking Water	Sample Quantity	01 Litre Plastic can + 250 ml Sterile Glass Bottle
Sample Description	MIDC Water	Sample Status	Sealed
Sample Collected By	DIVYA ENVIROCARE MANAGEMENT		
Start Date of Analysis	19/12/2025	End Date of Analysis	25/12/2025


Results

Sr. No.	Parameters	Results	Unit(s)	IS 10500:2012 (Acceptable Limits)	Methods
1	Odour	Agreeable	-	Agreeable	IS: 3025 Part-5
2	pH at 25°C	7.8	-	6.5 to 8.5	APHA 4500 H+ A, 24 th Ed. 2023
3	Turbidity	<1.0	NTU	Max 1	IS: 3025 Part-10
4	Total Dissolved Solids	117.0	mg/l	Max 500	APHA 2540 C, 24 th Ed. 2023
5	Calcium (as Ca)	8.23	mg/l	Max 75	APHA 3500 Ca B, 24 th Ed. 2023
6	Chloride (as Cl)	18.6	mg/l	Max 250	APHA 4500 Cl-, B 24 th Ed. 2023
7	Fluoride (as F)	<0.1	mg/l	Max 1.0	APHA 4500 F- D 24 th Ed. 2023
8	Magnesium (as Mg)	5.20	mg/l	Max 30	APHA 3500 Mg A, 24 th Ed. 2023
9	Nitrate (as NO ₃)	0.23	mg/l	Max 45	APHA 4500 NO3- B 24 th Ed. 2023
10	Sulphate (as SO ₄)	8.36	mg/l	Max 200	APHA 4500 SO4 E, 24 th Ed. 2023
11	Total Alkalinity (as CaCO ₃)	74.2	mg/l	Max 200	APHA 2320 B, 24 th Ed. 2023
12	Total Hardness (as CaCO ₃)	83.6	mg/l	Max 200	APHA 2340 B, 24 th Ed. 2023
13	Residual Chlorine	<0.30	mg/l	Min 0.2	IS 3025 (Part 26, Method a)
14	Colour	1.0	Hazen	Max 5	IS 3025 Part-4
15	Total Coliform	Absent	Per 100ml	Shall not be detectable in any 100 ml sample	IS: 15185:2016
16	E Coli	Absent	Per 100ml	Shall not be detectable in any 100 ml sample	IS: 15185:2016

Remark: The above water sample is complying with required limit as per IS 10500:2012

Terms and Conditions

- This Report is valid for tested sample only
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, NLES.


Reviewed By
(Ms. Kalyani Gore)




Authorized Signatory
(Mr. Abhishek Tope)

*****End of Report*****